

1 Identification

- **Product identifier**
- **Trade name:** *WAKOL MS 550 Resilient and Rubber Flooring Adhesive*
- **Application of the substance / the mixture** *Adhesives*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Loba-Wakol LLC
521-C Eagleton Downs Dr.
Pineville, NC 28134, USA
+1 704 527 5919*
- **Information department:** *Industrial Safety Department*
- **Emergency telephone number:**
24-hour-Emergency- Telephone-Number (GBK Contract ID: 98229): (001) 352 323 3500


2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).

-
- **Label elements**
 - **GHS label elements** *Void*
 - **Hazard pictograms** *Void*
 - **Signal word** *Void*
 - **Hazard statements** *Void*
 - **Classification system:**
 - **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

3 Composition/information on ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** *Adhesive*
- **Dangerous components:** *Void*

4 First-aid measures

- **Description of first aid measures**
- **General information:** *No special measures required.*
- **After inhalation:** *Supply fresh air; consult doctor in case of complaints.*
- **After skin contact:** *Generally the product does not irritate the skin.*
- **After eye contact:** *Rinse opened eye for several minutes under running water.*
- **After swallowing:** *Call a doctor immediately.*

(Contd. on page 2)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 1)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Use only in well ventilated areas.
No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Protect from humidity and water.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:**
See Section 10.
The lists that were valid during the creation were used as basis.

(Contd. on page 3)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 2)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**
Preventive skin protection by use of skin-protecting agents is recommended.
After each cleaning use treatment creams, for very dry skin greasy ointments.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

· Form:	Pasty
· Color:	Light brown
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
- **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	394 °C (741 °F)
· Flash point:	201 °C (394 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	330 °C (626 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
- **Explosion limits:**

· Lower:	0.0 Vol %
· Upper:	0.1 Vol %
- **Vapor pressure:** Not determined.
- **Density at 20 °C (68 °F):** 1.25 g/cm³ (10.431 lbs/gal) (EN ISO 2811-1)
- **Relative density** Not determined.

(Contd. on page 4)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 3)

- **Vapor density** *Not determined.*
- **Evaporation rate** *Not determined.*
- **Solubility in / Miscibility with Water:** *Not miscible or difficult to mix.*
- **Partition coefficient (n-octanol/water):** *Not determined.*
- **Viscosity:**
 - Dynamic at 20 °C (68 °F):** *65000 mPas (ISO 2555)*
 - Kinematic:** *Not determined.*
- **Solvent content:**
 - Organic solvents:** *0.0 %*
 - Water:** *0.0 %*
 - VOC content:** *0.0 %*
0.01 %
- **Solids content:** *100.0 % (DIN EN 827.8.2)*
- **Other information** *No further relevant information available.*

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *Reacts with strong acids and oxidizing agents.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*
- **Additional information:** *Product releases low quantities of methanol during appropriated application.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
 - **on the skin:** *No irritant effect.*
 - **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:** *The product is not subject to classification according to internally approved calculation methods for preparations:*
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.
- **NTP (National Toxicology Program)**

None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

(Contd. on page 5)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 4)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **UN proper shipping name**
- **DOT, ADR, ADN, IMDG, IATA** Void
- **Transport hazard class(es)**
- **DOT, ADR, ADN, IMDG, IATA**
- **Class** Void
- **Packing group**
- **DOT, ADR, IMDG, IATA** Void
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **DOT**
- **Remarks:** not regulated

- **ADR**
- **Remarks:** not regulated

- **IMDG**
- **Remarks:** not regulated

(Contd. on page 6)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 5)

- **IATA**
- **Remarks:** *not regulated*
- **UN "Model Regulation":** *Void*

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**
None of the ingredient is listed.
- **Section 313 (Specific toxic chemical listings):**
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**
471-34-1 calcium carbonate

KANEKA SILYL MA 451

1317-65-3 Calciumcarbonat, natürlich, gemahlen

151865-59-7 KANEKA SILYL SAX015

8001-78-3 Castor oil, hydrogenated

2768-02-7 trimethoxyvinylsilane

2082-79-3 octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

471-34-1 calcium carbonate
- **Proposition 65**
- **Chemicals known to cause cancer:**
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.
- **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.
- **GHS label elements** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **National regulations:**
- **VOC:**
- **VOC (EU)** *0.1 g/l*
- **VOC (USA):** *0.1 g/l / 0.00 lb/gl*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Industrial Safety Department.*

(Contd. on page 7)

Printing date 03/14/2016

Reviewed on 03/14/2016

Trade name: WAKOL MS 550 Resilient and Rubber Flooring Adhesive

(Contd. of page 6)

· **Contact:** Dr. Thomas Wieland

· **Date of preparation / last revision** 03/14/2016 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit