



# 1001



## VERSATILE PREMIUM FLOOR SEALER

A durable floor sealer designed to quickly fill tiny pores and seal resilient tile floors creating a smooth surface for floor finish application. Features **stain resistance** to protect tile surfaces from spills. Features good initial gloss levels and exceeds industry standards for slip resistance.

### FORMULA FEATURES

- ▶ Exceeds Industry Standard for Slip Resistance
- ▶ Good Stain Resistance
- ▶ Durable
- ▶ May be used on Terrazzo
- ▶ Economical

### APPLICATIONS \*READY TO USE

- ▶ For use on resilient tile floors to seal pores and create a smooth surface.

### AREAS OF UTILIZATION

- ▶ Schools
- ▶ Office Buildings
- ▶ Grocery Stores
- ▶ Manufacturing Facilities
- ▶ Hospitals
- ▶ Universities
- ▶ Department Stores
- ▶ Hotels
- ▶ Nursing Homes
- ▶ Institutions
- ▶ Restaurants
- ▶ Warehouses

### OTHER FINE FLOOR FINISH/REJUVENATOR FORMULAS

- ▶ HUSKY 1000 Semi-Permanent Resilient Floor and Concrete Sealer
- ▶ HUSKY 1018 High Gloss Economy Floor Finish
- ▶ HUSKY 1020 High Gloss Premium Floor Finish
- ▶ HUSKY 1022 Ultra Versatile Premium Floor Finish
- ▶ HUSKY 1025 High Performance UHS Premium Floor Finish
- ▶ HUSKY 1030 High Solids Premium Floor Finish
- ▶ HUSKY 1041 Multi Purpose Rejuvenator

### OTHER LIQUID/AEROSOL FORMULA CATEGORIES

- ▶ Restroom Care
- ▶ Skin Care
- ▶ Odor Control
- ▶ Health Care
- ▶ Industrial Care
- ▶ Carpet Care
- ▶ Specialty Products

# 1001 VERSATILE PREMIUM FLOOR FINISH

## DIRECTIONS



1. Before applying sealer, make sure that the floor surface is properly prepared. If the floor has been stripped, all residual stripper should be removed and the pH of the floor should be returned to neutral (6.5-7.5).



2. Always apply thin coats using a clean mop. It is important to pass the mop head in a figure 8 pattern to ensure that all areas are thoroughly covered.



3. Allow sealer to dry sufficiently before walking on it or applying additional coats. For standard conditions, allow at least 30 minutes. For thorough drying in poor ventilation areas, dry times will be extended.

4. Repeat steps two and three for additional coats.

## PRODUCT DATA

Acrylic Polymer Base  
Repairs Easily  
Removable  
Slip Resistant  
Scuff Resistant  
Superior Adhesion  
Superior Color  
DOT Regulated

YES	NO
X	
X	
X	
X	
X	
X	
X	
	X



### SECTION I - PRODUCT IDENTIFICATION

See reverse side for product identification.

### SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous components	CAS#'s	OSHA PEL	ACGIH TLV	Other Limits	%(Optional)
Water	7732-18-5	N/A	N/A	N/A	>78
Glycol Ether DPM	34590-94-8	100 ppm	100 ppm	N/A	<2
*Glycol ether DE	111-90-0	N/A	N/A	N/A	<2
Acrylate Polymer	9003-01-4	N/A	N/A	N/A	15-20
Ethylene Polymer	68441-17-8	N/A	N/A	N/A	<4

\*This chemical is subject to the reporting requirements for section 313 of title III of the superfund amendments and reauthorization act of 1986 and 40 CFR part 372.

### SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point	≈212° F	Specific Gravity (H <sub>2</sub> O=1)	1.020
Vapor Pressure (mm Hg.)	N/E	Percent Volatile By Weight (%)	>80%
pH (conc.)	8.5	Evaporation Rate (H <sub>2</sub> O=1)	≈1
Solubility in Water	Complete		
Appearance and Odor	White Liquid/Mild Fragrance		

### SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): None Flammable Limits: LEL: N/A UEL: N/A  
Extinguishing Media: Water, CO<sub>2</sub>, Foam or media suitable for surrounding fire  
Special Fire Fighting Procedures: Standard fire fighting procedures may be followed, including full protective gear, NIOSH approved self-contained breathing apparatus.  
Unusual Fire and Explosion Hazards: None Known

### SECTION V - PHYSICAL HAZARDS

Stability  Unstable  Stable Conditions to Avoid: None Known  
Incompatibility (Materials to Avoid): Do not mix with other chemicals.  
Hazardous Decomposition Products or By-products: Thermal decomposition generate toxic materials such as oxides of carbon.  
Hazardous  May Occur  Will Not Occur Conditions to Avoid: None Known  
Polymerization  Will Not Occur

N/A (Not applicable / Not available)  
N/E (Not Established)

8-07

### SECTION VI - HEALTH HAZARDS

Route(s) of Entry: Inhalation? Skin? X Ingestion? X  
Health Hazards (1. Acute and 2. Chronic) 1. Acute: Harmful if swallowed. Eye irritant.

2. Chronic: None Known

Chemical Listed as Carcinogen or Potential Carcinogen:

National Toxicology Program:	<input checked="" type="checkbox"/> No
I.A.R.C. Monographs:	<input checked="" type="checkbox"/> No
OSHA:	<input checked="" type="checkbox"/> No

Signs and Symptoms of Exposure: Irritation or burning sensation.

Medical Conditions Generally Aggravated by Exposure: May aggravate skin disorders or respiratory ailments. Emergency and First Aid Procedures: Eye Contact: Eye contact may cause irritation. Skin Contact: Extended skin contact may cause irritation of the skin. Ingestion: If swallowed, this product may cause irritation of mucosal linings of the mouth, throat, esophagus or stomach. May cause diarrhea.

### SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: If spilled, floors may be slippery. Wear appropriate protective gear to avoid skin or eye contact. Dike and contain spill with inert material (sand, clay). transfer liquid and solids to separate containers for recovery or proper disposal. Keep spill out of storm sewers and open bodies of water. After removal, flush area with water. Follow good industrial hygiene practices. Wash thoroughly after clean up. If uncertain about proper disposal, contact your local waste disposal provider or the regional office of the Environmental Protection Agency for guidance.

Waste Disposal Method: Empty containers should be triple rinsed and offered for recycling or reconditioning, or disposed of in a sanitary landfill or for small containers (1 gal. or less), may be wrapped and discarded in trash. Precautions To Be Taken In Handling And Storing: Avoid contact with skin and eyes. Use product only according to label directions. If unsure about safe use, contact your supervisor immediately. Store in original container in a cool, dry, well-ventilated area. Store away from food or feed. Containers should be kept tightly closed when not in use. Keep in an area inaccessible to small children. Other Precautions: Use only according to label directions. If unsure about safe use, contact your supervisor immediately.

### SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): Not expected to be necessary under normal conditions of use. Where exposure cannot be adequately controlled by general or local ventilation, use appropriate respiratory protection to prevent over exposure. An approved dust/mist respirator would be recommended. Ventilation: Local Exhaust: As Necessary Mechanical (General): Adequate Special: N/A Other: N/A Protection Gloves: Water Impervious (Latex, Neoprene) Eye Protection: Chemical Resistant Goggles  
Other Protective Clothing Or Equipment: Not Required. Work/Hygiene Practices: Follow OSHA mandated procedures. Never eat or smoke while working with chemicals. Good housekeeping practices apply.